

Applications	Automotive Grade		
	AEC-Q200 AEC-Q200		
	No Directivity No Directivity		
Feature	Multilayer Multilayer		
	Non-Mag Core Non-Magnetic Core (Dielectric Ceramic)		
	High Self Resonant Frequency		
Series   Type	MLK		
	A EOL announced		
Status	Recommended Alternate Part No. : <u>MLG1005S10NJTD25</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.24, 2021		
	Last Purchase Order Date : Mar.31, 2026		
	Last Shipment Date : Jun.30, 2026		
Brand	ТДК		

2	Size
Length(L)	1.00mm ±0.10mm
Width(W)	0.50mm ±0.10mm
Thickness   Height	0.50mm ±0.10mm
Recommended Land Pattern (A)	0.50mm Nom.
Recommended Land Pattern (B)	0.40mm Nom.
Recommended Land Pattern (C)	0.50mm Nom.

Electrical Characteristics		
Inductance	10nH ±5% at 100MHz	
Rated Current	350mA	
DC Resistance [Typ.]	230mΩ	
DC Resistance [Max.]	420mΩ	
Self Resonant Frequency [Min.]	4.7GHz	
Self Resonant Frequency [Typ.]	5.2GHz	
Q [Min.]	7 at 100MHz	
Q [Typ.]	9 at 100MHz	

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 125°C			
Coldering Mathed	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	YES			

! Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.





Packing	Punched (Paper)Taping [180mm Reel, Tape width 8mm]
Package Quantity	10000pcs
Weight	0.001g


! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.







### Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




- ! This PDF document was created based on the data listed on the TDK Corporation website.
- ! All specifications are subject to change without notice.

<sup>!</sup> Images are for reference only and show exemplary products.





# Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.